


Patent abridgement 245662

(57) Described are the compounds



and pharmaceutically acceptable salts thereof, which are useful in the treatment of cancer.

In these compounds,

m is 1, 2 or 3;

n is 1 or 2; each

R^1 is independently OH, amino, substituted amino, carboxy, ureido, 3-phenylureido, carbamoyl, C_{1-4} -alkoxycarbonyl, N - C_{1-4} -alkylcarbamoyl, N,N -di- C_{1-4} -alkylcarbamoyl, OCF_3 optionally substituted C_{1-4} -alkoxy, C_{1-4} -alkylthio, C_{1-4} -alkylsulphinyl, C_{1-4} -alkylsulphonyl, optionally substituted C_{1-4} -alkyl, C_{2-4} -alkanoyloxy, hydroxy- C_{2-6} -alkanoyloxy, C_{1-4} -alkoxy- C_{2-4} -alkanoyloxy, substituted C_{1-4} -alkylamino, optionally substituted benzamido, optionally substituted benzenesulphonamido, pyrrolidin-1-yl, piperidino, morpholino, piperazin-1-yl, 4- C_{1-4} -alkylpiperazin-1-yl, 2-oxopyrrolidin-1-yl or 2,5-dioxopyrrolidin-1-yl, or two R^1 groups together form a C_{1-3} -alkylenedioxy group; and each R^2 is independently H, OH, CF_3 , halo, amino, NO_2 , CN, C_{1-4} -alkyl, C_{1-4} -alkoxy, mono- or di- C_{1-4} -alkylamino, C_{1-4} -alkylthio, C_{1-4} -alkylsulphinyl, C_{1-4} -alkylsulphonyl, C_{2-4} -alkanoylamino, optionally substituted benzamido or C_{2-4} -alkanoyl.